Journal of MOLECULAR BIOLOGY

PERIODICAL
UNIVERSITY OF HAWAII
LIBRARY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
P. Berg
M. Cohn
P. Doty
R. Dulbecco
E. P. Geiduschek
F. Gros
J. Hurwitz
H. E. Huxley
V. M. Ingram
O. Maaløe
B. Magasanik
A. Novick
D. C. Phillips
G. S. Stent

H301
573

VOLUME 21
28 October to 28 November 1966

ACADEMIC PRESS
LONDON and NEW YORK

CURRENT ISSUE SCI. REF. DISPLAY

Copyright © 1966, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

678802

QH301
J73
V. 21

585679

CONTENTS OF VOLUME 21

Number 1, 28 October 1966

Logan, D. M. and Whitmore, G. F., Effects of Ultraviolet Light on Polyuridylic Acid assayed *in vitro* 1

Ron, E. Z. and Davis, B. D., Specific Stimulation of RNA Synthesis by Methionine in Several Strains of *Escherichia coli* 13

Applebaum, S. W., Ebstein, R. P. and Wyatt, G. R., Dissociation of Ribosomal Ribonucleic Acid from Silkmoth Pupae by Heat and Dimethylsulfoxide: Evidence for Specific Cleavage Points 29

Tershak, D. R., Effect of 5-Fluorouracil on Poliovirus-induced RNA Polymerase 43

Lin, S-Y., Mosteller, R. D. and Hardesty, B., The Mechanism of Sodium Fluoride and Cycloheximide Inhibition of Hemoglobin Biosynthesis in the Cell-free Reticulocyte System 51

Goldberg, M. E., Creighton, T. E., Baldwin, R. L. and Yanofsky, C., Subunit Structure of the Tryptophan Synthetase of *Escherichia coli* . 71

Richardson, J. P., The Binding of RNA Polymerase to DNA . . . 83

Slayter, H. S. and Hall, C. E., *Appendix*—Electron Microscopy of RNA Polymerase and RNA Polymerase bound to T7 DNA 113

Richardson, J. P., Enzymic Synthesis of RNA from T7 DNA . . . 115

Gruenwedel, D. W. and Davidson, N., Complexing and Denaturation of DNA by Methylmercuric Hydroxide. I. Spectrophotometric Studies . 129

Pestka, S. and Nirenberg, M., Regulatory Mechanisms and Protein Synthesis. X. Codon Recognition on 30 s Ribosomes 145

Capecchi, M. R., Cell-free Protein Synthesis programmed with R17 RNA: Identification of Two Phage Proteins 173

Chance, B. and Ravilly, A., Reactivity of Crystalline Ferrihemoglobin towards Azide 195

Perutz, M. F. and Mathews, F. S., An X-ray Study of Azide Methaemoglobin 199

Letters to the Editor—

Milstein, C., Comparative Peptide Sequences of Kappa and Lambda Chains of Human Immunoglobulins 203

Lodish, H. F. and Zinder, N. D., Semi-conservative Replication of Bacteriophage f2 RNA 207

Errata 211

NUMBER 2, 14 NOVEMBER 1966

SMITHIES, O., CONNELL, G. E. and DIXON, G. H., Gene Action in the Human Haptoglobins. I. Dissociation into Constituent Polypeptide Chains . 213

CONNELL, G. E., SMITHIES, O. and DIXON, G. H., Gene Action in the Human Haptoglobins. II. Isolation and Physical Characterization of Alpha Polypeptide Chains 225

SHIN, D. H. and MOLDAVE, K., Effect of Ribosomes on the Biosynthesis of Ribonucleic Acid *in vitro* 231

TOMIZAWA, J-I., ANRAKU, N. and IWAMA, Y., Molecular Mechanisms of Genetic Recombination in Bacteriophage. VI. A Mutant Defective in the Joining of DNA Molecules 247

HABICH, A., WEISSMANN, C., LIBONATI, M. and WARNER, R. C., Isolation of a Fraction of *Bacillus megaterium* DNA enriched in "Minus" Sequences . 255

RUBIN, M. M. and CHANGEUX, J-P., On the Nature of Allosteric Transitions: Implications of Non-exclusive Ligand Binding 265

CHAPLAIN, R. A. and TREGEAR, R. T., The Mass of Myosin per Cross-bridge in Insect Fibrillar Flight Muscle 275

KNIPPERS, R. and HOFFMANN-BERLING, H., A Coat Protein from Bacteriophage fd. I. Hydrodynamic Measurements and Biological Characterization 281

KNIPPERS, R. and HOFFMANN-BERLING, H., A Coat Protein from Bacteriophage fd. II. Interaction of the Protein with DNA *in vitro* . . . 293

KNIPPERS, R. and HOFFMANN-BERLING, H., A Coat Protein from Bacteriophage fd. III. Specificity of Protein–DNA Association *in vivo* . . 305

YANOFSKY, C. and ITO, J., Nonsense Codons and Polarity in the Tryptophan Operon 313

WHITFIELD, H. J., Jr., MARTIN, R. G. and AMES, B. N., Classification of Aminotransferase (*C* Gene) Mutants in the Histidine Operon . . . 335

MARTIN, R. G., SILBERT, D. F., SMITH, D. W. E. and WHITFIELD, H. J., Jr., Polarity in the Histidine Operon 357

ARNOTT, S. and WONACOTT, A. J., Atomic Co-ordinates for an α-Helix: Refinement of the Crystal Structure of α-Poly-L-alanine 371

Letters to the Editor—

GALIBERT, F., LELONG, J. C., LARSEN, C. J. and BOIRON, M., Comparative Kinetics of Synthesis of Transfer RNA and 5 s RNA in Bacteria and Mammalian Cells. 385

DELIHAS, N. and BERTMAN, J., Specific Fragmentation of Liver Ribosomal RNA with Partial Ribonuclease T_1 Digestion 391

MUHAMMED, A. and STEINBERG, C. M., Action Spectrum for Cross-reactivation with Various Amber Mutants of Bacteriophage T4D . . . 395

GILLESPIE, J. M., HAPNER, K. D., HARTZELL, C. R. and GURD, F. R. N., Interaction of Sperm Whale Metmyoglobin with Phosphate . . 399

Announcements 403

NUMBER 3, 28 NOVEMBER 1966

PHILLIPS, J. H., BROWN, D. M. and GROSSMAN, L., The Efficiency of Induction of Mutations by Hydroxylamine 405

ARGETSINGER, J. E. and GUSSIN, G. N., Intact Ribonucleic Acid from Defective Particles of Bacteriophage R17 421

GUSSIN, G. N., Three Complementation Groups in Bacteriophage R17 . . 435

CAPRA, J. D. and PETERKOFSKY, A., The Coding Properties of Methyl-deficient Leucyl-transfer RNA 455

YAMAGISHI, M., KAJITA, A., SHUKUYA, R. and KAZIRO, K., Quaternary Structure of *Limnodrilus* Haemoglobin 467

RAY, D. S., BSCHEIDER, H-P. and HOFSCHNEIDER, P. H., Replication of the Single-stranded DNA of the Male-specific Bacteriophage M13: Isolation of Intracellular Forms of Phage-specific DNA 473

RAY, D. S., PREUSS, A. and HOFSCHNEIDER, P. H., Replication of the Single-stranded DNA of the Male-specific Bacteriophage M13: Circular Forms of the Replicative DNA 485

BENZINGER, R., JAENISCH, R. and HOFSCHNEIDER, P. H., WITH THE TECHNICAL ASSISTANCE OF SCHUBERT, G., Über infektiöse Substrukturen aus *Escherichia coli* Bakteriophagen. VI. A Simple Method for Separating the Replicative Form from Single-stranded ϕX174 DNA 493

JAENISCH, R., HOFSCHNEIDER, P. H. and PREUSS, A., Über infektiöse Substrukturen aus *Escherichia coli* Bakteriophagen. VIII. On the Tertiary Structure and Biological Properties of ϕX174 Replicative Form . . 501

LIPTON, A. and WEISSBACH, A., The Appearance of Circular DNA after Lysogenic Induction in *Escherichia coli* CR34(λ) 517

GREENBERG, H. and PENMAN, S., Methylation and Processing of Ribosomal RNA in HeLa Cells 527

GODCHAUX, W., III. and HERBERT, E., The Effect of Chloramphenicol in Intact Erythroid Cells 537

ROTTMAN, F. and NIRENBERG, M., RNA Codons and Protein Synthesis. XI. Template Activity of Modified RNA Codons 555

Letters to the Editor—

TRAUT, R. R., Acrylamide Gel Electrophoresis of Radioactive Ribosomal Protein 571

RAO, N. V. and HARRINGTON, W. F., Relationship between the Positioning of Pyrrolidine Residues and the Stability of Collagen . . . 577

Index to Volume 21

Acrylamide gel electrophoresis of radioactive ribosomal protein, 571
Allosteric transitions: implications of non-exclusive ligand binding, 265
Amber mutants of bacteriophage T4D, cross-reactivation action spectrum, 395
Ames, B. N. (see Whitfield, H. J., Jr.), 335
Aminotransferase (*C* gene) mutants in the histidine operon, classification, 335
Anraku, N. (see Tomizawa, J-I.), 247
Applebaum, S. W., Ebstein, R. P. & Wyatt, G. R., Dissociation of ribosomal ribonucleic acid from silkmoth pupae by heat and dimethylsulfoxide: evidence from specific cleavage points, 29
Argetsinger, J. E. & Gussin, G. N., Intact RNA from defective particles of bacteriophage R17, 421
Arnott, S. & Wonacott, A. J., Atomic co-ordinates for an α-helix: refinement of the crystal structure of α-poly-L-alanine, 371
Azide methaemoglobin, an X-ray study, 199
— reactivity with crystalline ferrihemoglobin, 195

Bacillus megaterium DNA enriched in "minus" sequences, isolation of a fraction, 255
Bacteriophage f2 RNA, semi-conservative replication, 207
— fd coat protein. I. Hydrodynamic measurements and biological characterization, 281
— — — — II. Interaction of the protein with DNA *in vitro*, 293
— — — — III. Specificity of protein–DNA association *in vivo*, 305
— M13, male-specific, replication of the single-stranded DNA: circular forms of the replicative DNA, 485
— — —, —, — — — — —: isolation of intracellular forms of phage-specific DNA, 473
—, molecular mechanisms of genetic recombination. VI. A mutant defective in the joining of DNA molecules, 247
— φX174 replicative form, its tertiary structure and biological properties, 501
— —, single-stranded DNA, a simple method for separating it from the replicative form, 493
— R17, intact RNA from defective particles, 421
— — RNA programming cell-free protein synthesis: identification of two phage proteins, 173
— —, three complementation groups, 435
— T4D amber mutants cross-reactivation action spectrum, 395
— T7 DNA used in enzyme synthesis of RNA, 115
Baldwin, R. L. (see Goldberg, M. E.), 71
Benzinger, R., Jaenisch, R. & Hofschneider, P. H., with the technical assistance of Schubert, G., Über infektiöse Substrukturen aus Bakteriophagen. VI. A simple method for separating the replicative form from single-stranded φX174 DNA, 493
Bertman, J. (see Delihas, N.), 391
Boiron, M. (see Galibert, F.), 385
Brown, D. M. (see Phillips, J. H.), 405
Bscheider, H-P. (see Ray, D. S.), 473

Capecchi, M. R., Cell-free protein synthesis programmed with R17 RNA; identification of two phage proteins, 173
Capra, J. D. & Peterkofsky, A., The coding properties of methyl-deficient leucyl-transfer RNA, 455
Chance, B. & Ravilly, A., Reactivity of crystalline ferrihemoglobin towards azide, 195
Changeux, J-P. (see Rubin, M. M.), 265
Chaplain, R. A. & Tregear, R. T., The mass of myosin per cross-bridge in insect fibrillar muscle, 275
Chloramphenicol effect in intact erythroid cells, 537
Cleavage points, evidence for specific ones in the dissociation of ribosomal ribonucleic acid from silkmoth pupae by heat and dimethylsulfoxide, 29

Codon recognition on 30 s ribosomes, 145
Codons, modified, of RNA, template activity, 555
—, nonsense, and polarity in the tryptophan operon, 313
Collagen stability, its relationship to the positioning of pyrrolidine residues, 577
Complementation groups in bacteriophage R17, 435
Connell, G. E. (see Smithies, O.), 213
—, Smithies, O. & Dixon, G. H., Gene action in the human haptoglobins. II. Isolation and physical characterization of α-polypeptide chains, 225
Creighton, T. E. (see Goldberg, M. E.), 71
Cycloheximide and sodium fluoride inhibition of hemoglobin biosynthesis in the cell-free reticulocyte system, 51

Davidson, N. (see Gruenwedel, D. W.), 129
Davis, B. D. (see Ron, E. Z.), 13
Delihas, N. & Bertman, J., Specific fragmentation of liver ribosomal RNA with partial ribonuclease T_1 digestion, 391
Deoxyribonucleic acid, a bacteriophage mutant defective in the joining of molecules, 247
— — binding to RNA polymerase, 83, 113
— —, circular, its appearance after lysogenic induction in *Escherichia coli* CR34(λ), 517
— — complexing and denaturation by methylmercuric hydroxide. I. Spectrophotometric studies, 129
— — enriched in "minus" sequences, isolation of a fraction from *Bacillus megaterium*, 255
— —, *in vitro* interaction with a coat protein from bacteriophage fd, 293
— —, *in vivo* specificity of association with a coat protein from bacteriophage fd, 305
— —, isolation of intracellular forms from the male-specific bacteriophage M13, 473
— — of bacteriophage T7 from which RNA is enzymically synthesized, 115
— —, replicative, circular forms of male-specific bacteriophage M13, 485
— —, single-stranded φX174 separated from the replicative form, 493
Dimethylsulfoxide used to dissociate ribosomal ribonucleic acid from silkmoth pupae. Evidence for specific cleavage points, 29
Dixon, G. H. (see Connell, G. E.), 225
— (see Smithies, O.), 213

Ebstein, R. P. (see Applebaum, S. W.), 29
Electron microscopy of RNA polymerase and RNA polymerase bound to T7 DNA, 113
Enzymic synthesis of RNA from T7 DNA, 115
Erythroid cells, intact, effect of chloramphenicol, 537
Escherichia coli bacteriophage φX174, replicative form, the tertiary structure and biological properties, 501
— — CR34(λ), the appearance of circular DNA after lysogenic induction, 517
— —, specific stimulation of RNA synthesis by methionine in several strains, 13
— — tryptophan synthetase, its subunit structure, 113

f2 (see Bacteriophage), 207
fd (see Bacteriophage), 281, 293, 305
Ferrihemoglobin, crystalline, reactivity towards azide, 195
5-Fluorouracil, its effect on poliovirus-induced RNA polymerase, 43

Galibert, F., Lelong, J. C., Larsen, C. J. & Boiron, M., Comparative kinetics of synthesis of transfer RNA and 5 s RNA in bacteria and mammalian cells, 385
Gene action in the human haptoglobins. I. Dissociation into constituent polypeptide chains, 213
— — — — — II. Isolation and physical characterization, of α-polypeptide chains, 225
Genetic recombination, molecular mechanisms. VI. A mutant defective in the joining of DNA molecules, 247
Gillespie, J. M., Hapner, K. D., Hartzell, C. R. & Gurd, F. R. N., Interaction of sperm whale metmyoglobin with phosphate, 399
Godchaux, W., III & Herbert, E., The effect of chloramphenicol in intact erythroid cells, 537
Goldberg, M. E., Creighton, T. E., Baldwin, R. L. & Yanofsky, C., Subunit structure of the tryptophan synthetase of *Escherichia coli*, 71

Greenberg, H. & Penman, S., Methylation and processing of ribosomal RNA in HeLa cells, 527
Grossman, L. (see Phillips, J. H.), 405
Gruenwedel, D. W. & Davidson, N., Complexing and denaturation of DNA by methylmercuric hydroxide. I. Spectrophotometric studies, 129
Gurd, F. R. N. (see Gillespie, J. M.), 399
Gussin, G. N., Three complementation groups in R17, 435
— (see Argetsinger, J. E.), 421

Habich, A., Weissmann, C., Libonati, M. & Warner, R. C., Isolation of a fraction of *Bacillus megaterium* DNA enriched in "minus" sequences, 255
Haemoglobin biosynthesis in the cell-free reticulocyte system, the mechanism of inhibition by sodium fluoride and cycloheximide, 51
—, met-azide derivative, an X-ray study, 199
—, of *Limnodrilus*, quaternary structure, 467
Hall, C. E. (see Slayter, H. S.), 113
Hapner, K. D. (see Gillespie, J. M.), 399
Haptoglobins, human, gene action. I. Dissociation into constituent polypeptide chains, 213
— — — —. II. Isolation and physical characterization of α-polypeptide chains, 225
Hardesty, B. (see Lin, S-Y.), 51
Harrington, W. F. (see Rao, N. V.), 577
Hartzell, C. R. (see Gillespie, J. M.), 399
α-Helix, atomic co-ordinates in a refinement of the crystal structure of α-poly-L-alanine, 371
Hemoglobin (see Haemoglobin)
Herbert, E. (see Godchaux, W., III), 537
Histidine operon, classification of aminotransferase (*C* gene) mutants, 335
— — polarity, 457
Hoffmann-Berling, H. (see Knippers, R.), 281, 293, 305
Hofschneider, P. H. (see Benzinger, R.), 493
— (see Jaenisch, R.), 501
— (see Ray, D. S.), 473, 485
Hydroxylamine, efficiency of mutagenesis, 405

Immunoglobulins, human, comparative peptide sequences of κ and λ chains, 203
Ito, J. (see Yanofsky, C.), 313
Iwama, Y. (see Tomizawa, J-I.), 247

Jaenisch, R. (see Benzinger, R.), 493
—, Hofschneider, P. H. & Preuss, A., Über infektiöse Substrukturen aus *Escherichia coli* Bakteriophagen. VIII. On the tertiary structure and biological properties of φX174 replicative-form, 501

Kajita, A. (see Yamagishi, M.), 467
Kaziro, K. (see Yamagishi, M.), 467
Knippers, R. & Hoffmann-Berling, H., A coat protein from bacteriophage fd. I. Hydrodynamic measurements and biological characterization, 281
— — — — — —. II. Interaction of the protein with DNA *in vitro*, 293
— — — — — —. III. Specificity of protein–DNA association *in vivo*, 305

Larsen, C. J. (see Galibert, F.), 385
Lelong, J. C. (see Galibert, F.), 385
Leucyl-transfer RNA, methyl-deficient, its coding properties, 455
Libonati, M. (see Habich, A.), 255
Limnodrilus haemoglobin, its quaternary structure, 467
Lin, S-Y., Mosteller, R. D. & Hardesty, B., The mechanism of sodium fluoride and cycloheximide inhibition of hemoglobin biosynthesis in the cell-free reticulocyte system, 51
Lipton, A. & Weissbach, A., The appearance of circular DNA after lysogenic induction in *Escherichia coli* CR34 (λ), 517
Lodish, H. F. & Zinder, N. D., Semi-conservative replication of bacteriophage f2 RNA, 207
Logan, D. M. & Whitmore, G. F., Effects of ultraviolet light on polyuridylic acid assayed *in vitro*, 1
Lysogenic induction in *Escherichia coli* CR34(λ), the appearance of circular DNA, 517

M13 (see Bacteriophage), 473, 485
Martin, R. G., Silbert, D. F., Smith, D. W. F. & Whitfield, H. J., Jr., Polarity in the histidine operon, 457
— (see Whitfield, H. J., Jr.), 335
Mathews, F. S. (see Perutz, M. F.), 199
Methionine stimulation of RNA synthesis in several strains of *Escherichia coli*, 13
Methylation and processing of ribosomal RNA in HeLa cells, 527
Methyl-deficient leucyl-transfer RNA, its coding properties, 455
Methylmercuric hydroxide, spectrophotometric studies on the complexing and denaturation of DNA, 129
Milstein, C., Comparative peptide sequences of kappa and lambda chains of human immunoglobulins, 203
Moldave, K. (see Shin, D. H.), 231
Mosteller, R. D. (see Lin, S-Y.), 51
Muhammed, A. & Steinberg, C. M., Action spectrum for cross-reactivation with various amber mutants of bacteriophage T4D, 395
Muscle, insect fibrillar, mass of myosin per cross-bridge, 275
Mutations, efficiency of induction by hydroxylamine, 405
Myoglobin of sperm whale, interaction of the met-form with phosphate, 399
Myosin, mass per cross-bridge in insect fibrillar muscle, 275

Nirenberg, M. (see Pestka, S.) 145
— (see Rottman, F.), 555

Penman, S. (see Greenberg, H.), 527
Peptide sequences, comparative, of κ and λ chains of human immunoglobulins, 203
Perutz, M. F. & Mathews, F. S., An X-ray study of azide methaemoglobin, 199
Pestka, S. & Nirenberg, M., Regulatory mechanisms and protein synthesis. X. Codon recognition on 30 s ribosomes, 145
Peterkofsky. A. (see Capra, J. D.), 455
ϕX174 (see Bacteriophage), 493, 501
Phillips, J. H., Brown, D. M. & Grossman, L., The efficiency of induction of mutations by hydroxylamine, 405
Phosphate interaction with sperm whale metmyoglobin, 399
Poliovirus-induced RNA polymerase, the effect of 5-fluorouracil, 43
α-Poly-L-alanine crystal structure refinement: atomic co-ordinates for an α-helix, 371
Polymerase, RNA, binding to DNA, 83
Poly uridylic acid assayed *in vitro*, effects of ultraviolet light, 1
Preuss, A. (see Jaenisch, R.), 501
— (see Ray, D. S.), 485
Protein synthesis and regulatory mechanisms. X. Codon recognition on 30 s ribosomes, 145
— — — RNA codons. XI. Template activity of modified RNA codons, 555
— —, cell-free, programmed with R17 RNA: identification of two phage proteins, 173
Pyrrolidine residue position, relationship with the stability of collagen, 577

Quaternary structure of *Limnodrilus* haemoglobin, 467

R17 (see Bacteriophage), 173, 421, 435
Rao, N. V. & Harrington, W. F., On the relationship between the positioning of pyrrolidine residues and the stability of collagen, 577
Ravilly, A. (see Chance, B.), 195
Ray, D. S., Bscheider, H-P. & Hofschneider, P. H., Replication of the single-stranded DNA of the male-specific bacteriophage M13: isolation of intracellular forms of phage-specific DNA, 473
—, Preuss, A. & Hofschneider, P. H., Replication of the single-stranded DNA of the male-specific bacteriophage M13: circular forms of the replicative DNA, 485
Replication, semi-conservative, of bacteriophage f2 RNA, 207
Replicative-form ϕX174 tertiary structure and biological properties, 501
Reticulocyte system, cell-free, the mechanism of sodium fluoride and cycloheximide inhibition of hemoglobin biosynthesis, 51

Ribonuclease T_1, partial digestion producing specific fragmentation of liver ribosomal RNA, 391
Ribonucleic acid, 5 s, and transfer RNA synthesis in bacteria and mammalian cells, comparative kinetics, 385
— — biosynthesis, *in vitro*, the effect of ribosomes, 231
— — codons and protein synthesis, 555
— —, enzymic synthesis from T7 DNA, 115
— — from bacteriophage f2, semiconservative replication, 207
— — from silkmoth pupae ribosomes dissociated by heat and dimethylsulfoxide. Evidence for specific cleavage points, 29
— —, intact, from defective particles of bacteriophage R17, 421
— —, its methylation and processing in HeLa cell ribosomes, 527
— —, methyl-deficient, leucyl-transfer, its coding properties, 455
— — of R17 programmed for cell-free protein synthesis: identification of two phage proteins, 173
— — polymerase bound to DNA, 83, 113
— — —, poliovirus-induced, the effect of 5-fluorouracil, 43
— — synthesis, specific stimulation by methionine in several strains of *Escherichia coli*, 13
Ribosomal proteins, radioactive acrylamide gel electrophoresis, 571
— RNA from silkmoth pupae, dissociated by heat and dimethylsulfoxide. Evidence for specific cleavage points, 29
— —, its methylation and processing in HeLa cells, 527
— —, liver, specific fragmentation with partial ribonuclease T_1 digestion, 391
Ribosomes, 30 s, and codon recognition, 145
—, their effect on the biosynthesis of RNA *in vitro*, 231
Richardson, J. P., Enzymic synthesis of RNA from T7 DNA, 115
—, The binding of RNA polymerase to DNA, 83
Ron, E. Z. & Davis, B. D., Specific stimulation of RNA synthesis by methionine in several strains of *Escherichia coli*, 13
Rottman, F. & Nirenberg, N., RNA codons and protein synthesis. XI. Template activity of modified RNA codons, 555
Rubin, M. M. & Changeux, J-P., On the nature of allosteric transitions: implications of non-exclusive ligand binding, 265

Schubert, G. (see Benzinger R.), 493
Shin, D. H. & Moldave, K., Effect of ribosomes on the biosynthesis of RNA *in vitro*, 231
Shukuya, R. (see Yamagishi, M.), 467
Silbert, D. F. (see Martin, R. G.), 457
Slayter, H. S. & Hall, C. E., Electron microscopy of RNA polymerase and RNA polymerase bound to T7 DNA, 113
Smith, D. W. F. (see Martin, R. G.), 457
Smithies, O., Connell, G. E. & Dixon, G. H., Gene action in the human haptoglobins. I. Dissociation into constituent polypeptide chains, 213
—, (see Connell, G. E.), 225
Sodium fluoride and cycloheximide inhibition of hemoglobin biosynthesis in the cell-free reticulocyte system, 51
Steinberg, C. M. (see Muhammed, A.), 395

T4D (see Bacteriophage), 395
T7 (see Bacteriophage), 115
Tershak, D. R., Effect of 5-fluorouracil on poliovirus-induced RNA polymerase, 43
Tomizawa, J-I., Anraku, N. & Iwama, Y., Molecular mechanisms of genetic recombination in bacteriophage. VI. A mutant defective in the joining of DNA molecules, 247
Transfer RNA and 5 s RNA synthesis in bacteria and mammalian cells, comparative kinetics, 385
Traut, R. R., Acrylamide gel electrophoresis of radioactive ribosomal protein, 571
Tregear, R. T. (see Chaplain, R. A.), 275
Tryptophan operon, polarity of nonsense codons, 313
— synthetase of *Escherichia coli*, its subunit structure, 71

Ultraviolet light effects on polyuridylic acid assayed *in vitro*, 1

Warner, R. C. (see Habich, A.), 255
Weissbach, A. (see Lipton, A.), 517
Weissmann, C. (see Habich, A.), 255

WHITFIELD, H. J., Jr., MARTIN, R. G. & AMES, B. N., Classification of aminotransferase (*C* gene) mutants in the histidine operon, 335
— (see MARTIN, R. G.), 457
WHITMORE, G. F. (see LOGAN, D. M.), 1
WONACOTT, A. J. (see ARNOTT, S.), 371
WYATT, G. R. (see APPLEBAUM, S. W.), 29

X-ray study of azide methaemoglobin, 199

YAMAGISHI, M., KAJITA, A., SHUKUYA, R. & KAZIRO, K., Quaternary structure of *Limnodrilus* haemoglobin, 467
YANOFSKY, C. & ITO, J., Nonsense codons and polarity in the tryptophan operon, 313
— (see GOLDBERG, M. E.), 71

ZINDER, N. D. (see LODISH, H. F.), 207